PUBLIC HEALTH 181 S. Main St., Marion, OH 43302 | (740) 387-6520 | www.marionpublichealth.org

#### **Mobile Food Guidance Document**

This packet is to help inform potential mobile food operators of basic requirements for the licensing of a mobile operation. A mobile food service operation is a movable vehicle or portable structure that routinely changes location, except that if the operation remains at any one location for more than forty consecutive days, the operation is no longer a mobile food service operation. A mobile food establishment is essentially a restaurant on wheels. It must meet all rules of the Ohio Uniform Food Safety Code. Also, like any other food establishment, Mobile food service operations must meet all local and state regulations. For your convenience, a list is attached of agencies you may want to check with before opening.

To obtain a Mobile Food License, please fill out the application, pay your Mobile License Fee and provide the Marion Public Health Department with:

- A detailed floor plan drawing of the entire operation which shows the layout, proposed equipment locations, plumbing locations, etc.
- An equipment list with manufacturers' names and model numbers
- A materials and surface finish list (list of what the floors, walls, ceilings & countertops are made from)
- The proposed menu
- Water supply source and wastewater disposal system
  - If using a self-contained water supply, it must be obtained from an approved source. A water sample will be required if using a private water system.

When these documents are submitted and approved, you will be required to schedule an appointment to bring your mobile operation to the Marion Public Health Department, located at 181 S. Main St., Marion, OH, to be inspected.

Here is a short list of important requirements that are looked for in a mobile unit. This is not a comprehensive list but hits on some significant needs in a mobile unit. They are as follows:

- Commercial cooking equipment
- 3 compartment sink- large enough to handle all items that must be washed/rinsed/ sanitized
- Hand wash sink with hot/cold water supply
- Prep sink for prepping vegetables/thawing foods, if needed
- Water system that can handle the hot/cold water needs of the operation
- Adequate wastewater storage
- Backflow prevention device (ASSE 1011, 1012 or 1024)
- Hot and cold holding units (Hot holding units are not permitted for cooking food)

- The telephone number **must** be displayed on the exterior of the unit
- Smooth, non-absorbent and easily cleanable flooring, ceiling, walls
- Some type of Floor (for Knockdown Concessions)
- Proper lighting requirements

The following links and references may provide you with helpful information.

http://codes.ohio.gov/oac/3701-21 http://codes.ohio.gov/orc/3717

- OAC 3701-21-02(H)
- OAC 3717-1-5.2(J)
- OAC 3717-1-5.3(A)
- OAC 3717-1-5.3(F)

If you have any questions, please contact Marion Public Health at (740) 382-6520.

### **Ohio Fire Regulations for Mobile Food Trucks**

Mobile food trucks are required by law to be inspected by the Marion City Fire Department. A mobile food unit checklist has been attached to ensure your mobile truck is in compliance with the fire department. Flat top griddles/grills and deep fryers are required to be placed under an exhaust hood. If you have any questions in regards to fire regulations, please contact the Marion City Fire Department at (740) 382-0040.



PUBLIC HEALTH 181 S. Main St., Marion, OH 43302 | (740) 387-6520 | www.marionpublichealth.org

# **Commercially Certified Equipment**


Only commercial equipment approved by a recognized food equipment testing agency, as acceptable for use in a food service operation or retail food establishment, will be accepted as specified under rule 3717-1-04.1(kk) of the Ohio Administrative Code.

The following are examples of marks used by some of the approved testing agencies:



#### **National Sanitation Foundation (NSF)**

- NSF International's primary focus is on creating and maintaining sanitation standards for the food service industry.
- An NSF symbol with a "C" to the bottom left and a "US" to the bottom right denotes that the product has been certified to meet both Canadian and U.S. safety and sanitation requirements.



#### **Underwriters Laboratories (UL)**

This symbol appears on products that are certified to meet specific environmental and public health standards. If it shows the word "Classified" above the UL mark, then the product also complies with NSF/ANSI regulations.



### **Canadian Standards Association (CSA)**

➤ A CSA sanitation mark is found on products that have been tested and found to meet all applicable NSF/ANSI sanitation requirements.




## **Edison Testing Laboratories (ETL Intertek)**


- ➤ The ETL Sanitation mark is awarded to food service equipment that has been rigorously tested against national sanitation requirements NSF/ANSI.
- > This mark ensures that the equipment is fit for use during food production as the manufacturer has not only passed the initial testing, but remains in compliance by completing periodic follow-up inspections.

2024 Application for a License to Conduct a: (check only one)				[] Food Service Operation				
			[] Retail Food			Establishment		
Instructions: 1. Complete the applicat 2. Sign and date the app	lication.							
<ol> <li>Make a check or mone</li> <li>Return check and sign</li> </ol>								
4. Neturn check and sign	ied application to. MAIX	181 S Maii						
		Marion, Ol	H 433	02				
There is a mandatory penal establishment after the dead					vice ope	ration	or retail food	
Before license application ca complete this application and Ohio Revised Code 3717.								
Name of Facility			Nam	Name of License Holder				
Address						E-mai	I	
City			State			ZIP		
Phone #	Fax				heck if a	applica		
Name of individual certified in	food protection (if any) and	d their certificate r	numbe	[ ] Cateri		<u>ι</u> nal nar	] Seasonal mes)	
Mailing address for annual re		above:						
Name of parent company o	rowner		Phone #					
Address				E-mail	. <i>)</i> E-mail			
City				State		ZIP		
City				State		ZIF		
I hereby certify that I am the	e license holder, or the	authorized repre	esenta	ative, of the f	food ser	vice o	peration or retail food	
establishment indicated abo	ve:					Data		
Signature						Date		
Licensor to complete below								
Category	_							
License fee	+ Late fee	+ State amou	unt		= Tota	al amo	ount due	
Application approved for lice	anse and certified as re-	quired by Chapte	_ or 271	17 of the Oh	io Ravis	on ha		
By	Date	Audit no.	UI J/ I	TO THE OTH	Licens		uc.	

AGR 1269 (Rev. 5/13) Ohio Department of Agriculture HEA 5319 (Rev. 5/13) Ohio Department of Health



- Indicate layout of all food service equipment. Draw pieces in their exact locations. (Sinks, coolers, freezers, cooking equipment, etc.)
- Indicate all finishes to be installed on the floors, walls & ceilings.
- 3 Indicate exact location of lighting fixtures.
- Provide a list of all equipment to be installed, including the make and model numbers. (Example: Grill Advance 3-1-FB)
- Indicate scale: Plans must be drawn reasonably to scale and fit on a  $\frac{1}{2}$  page of paper (5"1/2in. x 8/12 in.)
- 6 Provide a menu indicating all foods to be served from the facility.
- Location and capacity of greywater and freshwater tanks. (Grey water tank must be a larger capacity then the freshwater tank)



- Indicate layout of all food service equipment. Draw pieces in their exact locations. (Sinks, coolers, freezers, cooking equipment, etc.)
- Indicate all finishes to be installed on the floors, walls & ceilings.
- Indicate exact location of lighting fixtures.
- Provide a list of all equipment to be installed, including the make and model numbers.

  (Example: Grill Advance 3-1-FB)
- Indicate scale: Plans must be drawn reasonably to scale and fit on a ½ page of paper (5"1/2in. x 8/12 in.)
- Provide a menu indicating all foods to be served from the facility.
- Location and capacity of greywater and freshwater tanks. (Grey water tank must be a larger capacity then the freshwater tank)



## **Mobile Food Unit Checklist**

\* A check mark in any box that is <u>not</u> shaded green may indicate a violation of the Ohio Fire Code (unless the condition is not applicable).

A	I Mobile Food Units	Yes*	No	N/A				
_	Carbon Monoxide detection							
	Is there at least one carbon monoxide detection device in the unit? (except where no CO is produced)							
	(Sheeps mission of the productor)							
	Portable Fire Extinguishers							
	Is there at least one 5# ABC portable fire extinguisher in the unit? (except open air hand propelled carts)							
	Is the extinguisher readily accessible by unit operator?							
	Was each fire extinguisher installed and is it being maintained in accordance with OFC sec. 906?							
	······································			l				
	Electrical Equipment and Wiring							
	Is all electrical equipment and wiring in the mobile food unit installed per NFPA 70 (2017)?							
				I				
	No Smoking Signs (no smoking in unit) (no smoking w/i 10' of unit if there is a fuel source other than vehicle fuel tank)							
	Are "no smoking" signs conspicuously posted inside the mobile food unit?							
	If compressed gas is stored or kept, are there also "no smoking" signs posted outside the unit in the							
	vicinity of every location where the gas is stored or kept?							
				I.				
	Generators							
	Is the generator being fueled while the mobile food unit is in operation?							
	Is the generator being fueled while the generator is in use?							
	Is the generator turned off and the surface temperature of both the engine and the fuel tank being cooled							
	to below the autoignition temperature of the fuel before the generator is being fueled?							
	Is the generator being operated, used or fuel within the occupant space of the mobile food unit?							
	is the generator being operated, used or rule within the occupant space of the mobile rood unit?							
	Not Obstructing Fire Protection Equipment							
	Does the mobile food unit block fire lanes?	1	-	l				
	Does the mobile food unit block fire hydrants?							
	Does the mobile food unit block other fire protection equipment?							
	Congression Diotomogo (for units with a ground of sales of sales than the units field touls)							
	Separation Distances (for units with a generator or fuel source other than the vehicle fuel tank)			l				
	Is the mobile food unit separated from other mobile food units by a clear space distance of <b>3 feet</b> ?							
	(not including awnings and other appurtenances)							
	Is the mobile food unit separated from entrances and other exits of buildings or structures by a clear							
	space distance of 10 feet? (not including awnings and other appurtenances)							
	Is the mobile food unit separated from combustible materials by a clear space distance of <b>10 feet</b> ? (not							
	including awnings and other appurtenances)							
NΛ	obile Food Units with Commercial Cooking Equipment							
IVI								
	Portable Fire Extinguishers			l				
	If the unit uses cooking equipment that involves vegetable or animal oils and fats, is there at least one							
	Class K portable fire extinguisher in the unit? (in addition to the one 5-pound ABC extinguisher)							
	Was each fire extinguisher installed and is it being maintained in accordance with OFC sec. 906?							
	Earon							
	Egress			I				
	Are there at least 2 means of egress in the unit?							
	Are the means of egress remotely located from each other?							
	Are the means of egress at least 5.7 square feet?							
M	obile Food Units with LP-Gas			ı				
	If LP-Gas equipment is being used while unit is in transit, is the equipment designed for operation while							
	in transit (ex: cargo heater) <b>and</b> does the equipment have a mechanism in place to stop fuel flow in the							
	event of a line break (ex: excess flow valve)?							
	Emergency Shut-off Controls							
	Does the mobile food unit have marked exterior emergency shut off controls?							
	Are the controls readily distinguishable and accessible?			<u> </u>				
	Do the controls have a quarter-turn manual gas ball valve?							
	Do the controls have permanent signage mounted at the location of the controls that states:							
	"EMERGENCY GAS SHUT-OFF VALVE"?							
	Is the signage clearly visible and unobscured?							
	gg			l				

Is the signage weather resistant and of contrasting colors?			
Is the signage readable from a distance of 25 feet?			
is the signage readable from a distance of 20 leet!			
LP-Gas Storage, Use and Handling (See also OFC Rules 53, 57, 58, 61)			
Containers			
Are only certified ASME or DOTn mobile LP-Gas containers being used?			
Do all LP-Gas containers installed in the enclosed spaces of the mobile food unit have a maximum			
allowable working pressure of 312 psi (2.2 MPag) or higher?			
Do all LP-Gas containers installed on the exterior of the mobile food unit have a maximum allowable			
working pressure of 250 psi (1.7 MPag) or higher?			
Are all propane tanks kept in a secure manner?			
Is the maximum aggregate capacity of all LP-Gas containers in the mobile food unit 200-gallons aggregate			
water capacity or less?			
Location and Installation	- I		
Are all LP-Gas supply systems installed either outside the vehicle or in a recess or cabinet?			
If in a recess or cabinet, is the recess or cabinet vapor tight to the inside of the vehicle but			
accessible from and vented to the outside?			
If in a recess or cabinet, are there also vents located near the top and bottom of the enclosure and 3			
feet horizontally away from any opening into the vehicle?			
Unless they have been removed during operation activities, are LP-Gas containers securely mounted on			
the vehicle or within an enclosing recess or cabinet?			
If LP-Gas containers have been removed during operation activities, are all propane tanks secured to a stationary chiest or otherwise securely stabilized to provent movement, eventure and damage?			
to a stationary object or otherwise securely stabilized to prevent movement, overturn and damage?			
Are LP-Gas containers secured with non-combustible material or devices?			
Are cylinders located in such a manner as to minimize exposure to excessive temperature rises, physical			
damage, and/or tampering?  If propone tanks are mounted to the rear of the vehicle, are they mounted with a minimum 30-inch			
clearance from the bottom of the tank to the ground?  Are LP-Gas containers installed on the roof of a mobile food unit? (they cannot be)			
If LP-Gas containers are mounted within the vehicle housing, is the housing secure to the vehicle and			
are all removable parts of the housing secured to the housing while the mobile food unit is in transit?			
Are all LP-Gas container valves, appurtenances, and connections protected to prevent damage from			
accidental contact with stationary objects, loose object, stones, mud, and/or ice?			
Are all LP-Gas container valves, appurtenances, and connections protected from damage due to			
overturn or similar vehicular accident?			
Do LP-Gas cylinders have permanent protection for cylinder valves and connections?			
If LP-Gas cylinders are located on the outside of a mobile food unit, is weather protection provided?			
Are all devices or materials used to secure an LP-Gas container made of non-combustible material?			
Are all devices of materials used to secure an Er -Oas container made of non-combustible materials			
Piping and Connectors			
Is all piping installed per NPFA 58 (2014), section 6.9.3?			
Does all steel tubing have a minimum wall thickness of 1.2 mm?			
Is a flexible connector installed between any regulator outlet and the fixed piping system (to protect			
against expansion, contraction, jarring, and vibration strains)?			
Is flexibility provided between cylinders and the gas piping system or regulator?			
Are flexible connectors installed in accordance with NFPA 58 (2014), section 6.9.6?			
Are flexible connectors that are installed between apparatus and the piping system installed in			
accordance with ANSI Z21-69-2015/CSA 6.6-2015?			
If there are any flexible connectors that are longer than the length allowed in the OFC, have they been			· · · · · ·
approved?			
If there are any fuel lines that incorporate hose, have they been approved?			
Are fixed piping systems designed, installed, supported, secured in such a manner as to minimize the			
possibility of damage due to vibration, strains, or wear, and in such a manner to preclude loosening			
while in transit?			
Is piping installed in a protected location?			
Is piping fastened or does it have other protection to prevent damage due to vibration or abrasion?			
Is a rubber grommet or equivalent protection installed to prevent chafing at each point where piping			
passes though sheet metal or a structural member?			
Do isolated sections of liquid piping have hydrostatic relief valves and are they installed in accordance			_
with NPFA 58 (2014), section 6.13?			
Have all piping systems (including hose) been pressure tested and proven free of leaks in accordance			
with NPFA 58 (2014), section 6.14?			